

Nonin's PureLight sensor technology boasts pure red and infrared LEDs to create unparalleled accuracy — even at critical SpO<sub>2</sub> levels. Choose from an array of reusable and disposable options.



6000CX Series  
**Cloth Sensor**

## disposable sensors



7000A Adult  
**Flexi-Form® III**  
(> 30 kg / > 66 lbs)

7000P Pediatric  
**Flexi-Form® III**  
(10–40 kg / 22–88 lbs)

7000I Infant  
**Flexi-Form® III**  
(2–20 kg / 4–44 lbs)

7000N Neonatal  
**Flexi-Form® III**  
(< 2 kg / < 4.4 lbs)



6000CA Adult  
**Cloth Sensor**  
(> 30 kg / > 66 lbs)

6000CP Pediatric  
**Cloth Sensor**  
(10–50 kg / 22–110 lbs)

6000CI Infant  
**Cloth Sensor**  
(1–20 kg / 2.2–44 lbs)

6000CN Neonatal  
**Cloth Sensor**  
(< 2 kg / < 4.4 lbs)

Infant Flex System

Adult Flex System

Neonate Flex System



reusable flex sensors

Adult Flex System



8000J Adult  
Flex Sensor



8000JFW Adult  
FlexiWrap®



**Adult Flex System**  
(> 20 kg / > 44 lbs)

Infant Flex System



8008J Infant  
Flex Sensor



8008JFW Infant  
FlexiWrap®




**Infant Flex System**  
(2–20 kg / 4–44 lbs)

Neonate Flex System



8001J Neonate  
Flex Sensor



8001JFW Neonate  
FlexiWrap®



**Neonate Flex System**  
(< 2 kg / < 4 lbs)

## reusable sensors



8000AP  
**Pediatric Finger Clip**  
(8–30 kg / 18–66 lbs)



8000AA  
**Adult Finger Clip**  
(> 30 kg / > 66 lbs)



8000Q2  
**Ear Clip**  
(> 40 kg / > 88 lbs)



8000R  
**Reflectance**  
(> 30 kg / > 66 lbs)



8000SL  
**Large Soft Sensor**  
(12.5 mm–25.5 mm / 0.5–1.0 inches digit)



8000SM  
**Medium Soft Sensor**  
(10 mm–19 mm / 0.4–0.75 inches digit)



8000SS  
**Small Soft Sensor**  
(7.5 mm–12.5 mm / 0.3–0.5 inches digit)

WristOx<sub>2</sub>™, Model 3150 sensors\*

NEW



8000SL-WO2  
**WristOx<sub>2</sub> – Large Soft Sensor**  
(12.5 mm–25.5 mm / 0.5–1.0 inches digit)



8000SM-WO2  
**WristOx<sub>2</sub> – Medium Soft Sensor**  
(10 mm–19 mm / 0.4–0.75 inches digit)



8000SS-WO2  
**WristOx<sub>2</sub> – Small Soft Sensor**  
(7.5 mm–12.5 mm / 0.3–0.5 inches digit)



8000AA-WO2  
**WristOx<sub>2</sub> – Clip**  
(> 30 kg / > 66 lbs)



8000J-WO2  
**WristOx<sub>2</sub> – Flex**  
(> 30 kg / > 66 lbs)

WristOx<sub>2</sub>, Model 3150  
with Soft Sensor



\*The WristOx<sub>2</sub>, Model 3150 sensors are also compatible with Nonin's Model 3100 and 4100 oximeters when used with the 3150WI adapter.



## Durafoam disposable sensors

**NEW**



6500SA

**Durafoam Disposable Sensor – Standard**

(5–21 mm / 0.19–0.82 in digit)



6500MA

**Durafoam Disposable Sensor – Small**

(5–21 mm / 0.19–0.82 in digit)

**For use with adult and pediatric patients**