

HEINE® mPack

Portable Power Pack for OMEGA 500 and ML4 HeadLight





- : Li-ion Battery
- : Battery Capacity Indicator
- : Fast Charge







- : Triple the Capacity with Li-ion Technology. Compared with current NiCd systems. When fully charged at least 3x the capacity of conventional NiCd systems. More than double of other Li-ion systems. No memory effect.
- : Fast Charge. Charges to full capacity in typ. 2 hours.
- : Charge status indicator. Always lets you know how much operating charge you have left.
- : Operating time: typ. 8.5 hours for ML4 LED HeadLight, typ. 4 hours for OMEGA500, typ. 13 hours for OMEGA500 with LED.
- : Flexible Charging Options. Charge in the EN50 Charger base station, or with mobile plug-in transformer.
- : Intelligent. Automatically switches to "charge" mode when inserted in EN50. Can also be used as mains power supply even while in "charge" mode.
- : Automatic remote power adjustment for compatibility with all HEINE 6V and selected LED instruments.
- : Stepless light intensity control 0.5 100 %. Optimum brightness setting prevents reflexes.
- : 100 240 V Compatible Transformer incl. 4 plugs for world wide compatibility.

mPack	6V
EN50-m Charger Wall/Table Unit with mPack, (incl. 90° Angled	
Adaptor, Instrument support for Professional L Headband [01])	X-095.17.302
mPack with Li-ion rechargeable battery and plug-in transformer	X-007.99.672
mPack with Li-ion rechargeable battery, without transformer	X-007.99.671
Li-ion rechargeable battery for mPack	X-007.99.676
Plug-in transformer for mPack [02]	X-095.16.315
Plug-in 90° Angled Adaptor (for EN50 Charger/mPack) [03]	C-000.33.509
	·