

MONITORING & RESTING ECG'S



NM 50 RFI NM 55 RLI

Ø 50 mm.	Dimensions	Ø 55 mm.
Foam	Backing	Foam
Solid	Gel	Liquid
Ag/AgCl	Sensor	Ag/AgCl



30 pcs / pouch - 600 pcs / box - 7200 pcs / carton

Packaging

25 pcs / pouch - 500 pcs / box - 6000 pcs / carton

The most typical sizes. The most demanded supports. A proved quality always useful.



NM 42 DFI

NM 3642 OFI

45x42 mm.	Dimensions	42x36 mm.
Foam	Backing	Foam
Solid	Gel	Solid
Ag/AgCl	Sensor	Ag/AgCl



50 pcs / pouch - 1200 pcs / box - 14400 pcs ;

Packaging

50 pcs / pouch - 1200 pcs / box - 14400 pcs / cartor

Two multifunctional models: suitable for adult and pediatric ECG's.



NP 30 RFI

NM 2844 RFS

Dimensions	28x44 mm.
Backing	Foam
Gel	Solid
Sensor	Ag/AgCl
	Backing Gel



30 pcs / pouch - 600 pcs / box - 7200 pcs / carton

Packaging

50 pcs / pouch - 1250 pcs / box - 15000 pcs / master cartor

The classical and largely used electrode for pediatric ECG's.

Excellent quality ensured also on "critical" patients.



NM 3351 OFI

NM 2844 FBI





30 pcs / pouch - 600 pcs / box - 7200 pcs / carton

Packaging

30 pcs / pouch - 600 pcs / box - 7200 pcs / carton

STRESS TEST



ST 50 RLI ST 50 RFI

Ø 50 mm.	Dimensions	Ø 50 mm.
Foam	Backing	Foam
Solid	Gel	Liquid
Ag/AgCl	Sensor	Ag/AgCl



30 pcs / pouch - 600 pcs / box - 7200 pcs / carton

ALSO SUITABLE FOR HOLTER

Packaging

The most suitable electrodes for ECG's under difficult conditions. Easy to apply and use • Strong adhesiveness • Do not irritate the skin • Highly conductive gel

MRI NON - MAGNETIC

ROUTINE ECG MONITORING



RT 50 RFI

Ø 50 mm.	Dimensions	23x34 mm.
Foam	Backing	Sillicone coated pet film
Solid	Gel	Solid
Carbon	Sensor	Ag/AgCl

MEDTAB





Packaging


This electrode entirely replaces suction chests and clamps to patient's advantage both in terms of hygiene and health. To be attached to alligator clip connectors.



MONITORING / PRE-WIRED ELECTRODES

RE 22 LWS RE 30 LWF

30 mm. female 4 mm	Dimensions	22 mm. sefety 1,55 mm
Foam	Backing	Foam
Solid	Gel	Solid
Ag/AgCl	Sensor	Ag/AgCl



Available also with 22 mm diameter Model RE 22 LWF

Packaging

3 pcs / pouch - 300 pcs / box

RT 22 LWS

Available also with 30 mm diameter Model RE 30 LWS (with 1,55 mm safety plug)



RT 30 LWF

(with 4 mm female plug)

30 mm. female 4 mm	Dimensions	22 mm. sefety 1,55 mm
Foam	Backing	Foam
Solid	Gel	Solid
Carbon	Sensor	Carbon

Packaging

3 pcs / pouch - 300 pcs / box

Available also with 22 mm diameter Model RT 22 LWF (with 4 mm female plug) 3 pcs / pouch - 300 pcs / box

Available also with 30 mm diameter Model RT 30 LWS (with 1,55 mm safety plug)



MEDI SENSOR LINE

MONITORING & RESTING ECG'S

MODEL F 50-S

F 26-S



Ø 50 mm.	Dimensions	Ø 26 mm.
Foam	Backing	Foam
Solid	Gel	Solid
Ag/AgCl	Sensor	Ag/AgCl



MEDI SENSOR

WED! SENSOR

HOSNES MEDI

SENSOR

SOR

MIEE

MEDI SENSOR

HOS

SENSOR

SOR

MEDI

JOSK

30 pcs / pouch – 1200 pcs / carton

Packaging

50 pcs / pouch - 2000 pcs / carton

Available also with liquid gel Model F 50-L

HOLTER / LONG MONITORING

MODEL W 601-S

MODEL T 601-S



Ø 55 mm.	Dimensions	Ø 55 mm.
TNT	Backing	MICROPORE
Solid	Gel	Solid
Ag/AgCl	Sensor	Ag/AgCl

Packaging

30 pcs / pouch - 1500 pcs / carton

Available also with Ø 50 mm Model W 601 and also with liquid gel Model W 601-L

30 pcs / pouch – 1500 pcs / carton

STRESS TEST

MODEL FS 50-L

MODEL F 55-L



Ø 50 mm.	Dimensions	Ø 55 mm.
Foam	Backing	Foam
Liquid	Gel	Liquid
Ag/AgCl	Sensor	Ag/AgCl

30 pcs / pouch – 1200 pcs / carton Packaging 30 pcs / pouch – 1200 pcs / carton

MULTIFUNCTION



MODEL FS 501-S

Dimensions	Ø 35x45 mm
Backing	Foam
Gel	Solid
Sensor	Ag/AgCl

0 pcs / pouch – 2000 pcs / carton Packaging



30 pcs / pouch – 1200 pcs / carton

Ideal for all ECG monitoring, radiolucent application included!

AVAILABLE ALSO FOR PEDIATRIC,

26 mm, MODEL F 26-S BLUE

SUCTION CHEST ELECTRODES

Ag/AgCl sensor to guarantee maximum reliability in signal transmission.

Available in three sizes: Ø15 mm for pediatric use / Ø 24 mm and Ø 30 mm for adult use

RUBBER LIMB & THORACIC STRAPS

For attaching electrodes • for limbs use - one hole (15 mm x 40 cm / 25 mm x 45 cm), - two holes (32mm x 45cm) - for thoracic use - one hole (32mm x 135cm), six holes (100mm x 135cm).



Classical-designed clamps with an improved quality. Ag/AgCl to ensure excellent signal transmission • Silver component to prevent distortions and to increase efficiency • Universal connection.

ELECTRO SURGICAL PLATES



ELECTROSURGICAL PLATES WITH A SUPERIOR QUALITY

• Made of FOAM suitable to obtain perfect results with all instruments • manufactured and tested in compliance with EN 60601-1/EN 60601-2/AAMI-HF 18 • available with one zone and two zones and REM alarm for adults (adhesive surface 215 sq cm), for children (surface 129 sq cm) and for new born (surface 63 sq cm). All the models are available even equipped with cables.



A wide range of pads suitable for all the defibrillators available.

Raw material quality and attention to details resulted into an absolutely reliable range of products.

Universal without cable or equipped with cable, having a specific connection to comply with all instruments.






• Superior quality • available with single or double cable • lead wire with 2 mm socket or press-stud connection • manufactured in compliance with EN ISO 9001 and AAMI standards.



A broad range of sensors to monitor and detect the arterial oxygen saturation. Excellent quality and proven accuracy are the characteristics that better describe a whole series of disposable and reusable sensors. Suitable for all the main fittings spread on the market.



A) BRIDGE ELECTRODES Made of silver/silver chloride to optimize signal transmission. Slightly curved support to improve head adaption.

B) SILICONE HEADCAPS With 2 or 4 adjustable bands to fit for various requirements. Anatomically-designed earmuffs. Available in three sizes [Small-Medium-Large];

C) SPECIAL INK FOR EEG Suitable & excellent for all devices (Siemens excluded), allowing a perfect trace without blurs. Black colour-1 litre bottle D) DISC ELECTRODES Available in silver/silver chloride or gold - 10 mm diameter- With 120-150-200-250 cm lead wire & DIN 42802 safety plug - 10 electrodes per set with coloured lead wires (available 10 colours);

E) DISPOSABLE CONCENTRIC NEEDLES FOR ELECTROMYOGRAPHY Ergonomic handgrip and extremely sharp point – Equipped with wings for automatic unfastening -Shielded, light & flexible lead wire with 5 pole DIN 45322 connector and entirely shielded handgrip. Different diameters (from 0.35 to 0.60 mm) and different lengths (from 20 to 70 mm) – 50 pcs per packing.



Made of material particularly resistant to saliva or manipulation, perfectly hygienic, without residues and non-allergic • can be used on most spirometers of the most important brands present on the market • available in the external diameters 22-26-28-30 and 34 mm, but in case of large orders the customer can request a specific diameter • boxes of 500 pieces • an extremely handy dispenser is available on customer's demand.













